



4" Center Wall Mount Faucet Installation Manual

10-4 Faucets




SILVER
SERIES



WARNING: Plumbing connections should be made by qualified personnel who will observe all applicable plumbing, sanitary and safety codes.

Note: Before starting installation, if you would like water lines included with your kit, please order Krowne's E-Z Install Flexible Water Line Kit with Mounting Hardware (model 21-443L). These kits do not use thread sealant tape or pipe joint compound. Kits come with 1/2" compression 90° fittings on one side and 3/8" compression fittings that secure directly onto the supply stops. These are available in 22", 24" and 30" lengths.



Installation Instructions

1. Turn off water supply at main source before proceeding with installation.
2. Apply thread sealant tape or pipe joint compound to the ends of each threaded nipple **(A)**.
3. From the front of the sink, insert the threaded nipples into the faucet holes in the sink.
4. From the back of the sink, place the included rubber washer, rosette, and flange nut in the mounting kit **(B)** onto the threaded nipples **(A)** and tighten with a wrench.
5. From the front of the sink, install the spout **(C)** and tighten properly onto the faucet body **(D)**.
6. From the back of the sink, install the water supply lines and tighten properly.



Scan to view
aerator options

Parts Guide

No.	Model	Description
1	19-220L	6" Swing Spout
1	19-221L	8" Swing Spout
1	19-222L	10" Swing Spout
1	19-223L	12" Swing Spout
1	19-224L	14" Swing Spout

No.	Model	Description
1	19-225L	16" Swing Spout
1	19-226L	18" Jointed Spout
1	19-227L	3-1/2"W Gooseneck Spout
1	19-228L	6"W Gooseneck Spout
1	19-229L	8-1/2"W Gooseneck Spout

No.	Model	Description
2	21-300L	Silver Series 1/4 Turn Ceramic Valves (full hot & cold valves with handles)
3	21-305	Lever Handle Kit (hot & cold handles only)
4	21-194L	Wall Mounting Kit (includes 2 each: nipples, lock nut, rosette, washer)

Accessories

Model	Description
21-312	Wrist Blade Handle Kit (includes hot & cold handles)
21-443L	E-Z Install Flexible Water Line Kit
25-150	Thread Sealant Tape
20-302	Replacement Washer Set

Warranty



Please visit [krowne.com/warranty](https://www.krowne.com/warranty) for full terms and conditions regarding the warranty on your new Silver Series product.

Product Description	Warranty Period
Silver Series Plumbing	1 Year


This Standard Warranty and Limitation of Liability (the “Warranty”) sets forth the warranty provided by Krowne Metal Corporation (hereinafter “Krowne”) with respect to the product purchased by Purchaser (the “Equipment”). By accepting delivery of the Equipment, Purchaser agrees to be bound by and accept these terms and conditions. All defined terms within the Warranty shall have the same meaning and definition as provided elsewhere in the Warranty. Equipment covered by the Warranty shall only be warranted in connection with its original installation only. Krowne will only be obligated to honor the warranty set forth in these terms and conditions upon receipt of full payment for the equipment.

FaucetFlex®
BY KROWNE



- Effortlessly configure a faucet, pre-rinse and much more
- Instant spec sheet generation
- Instant price generation

[krowne.com/faucetflex](https://www.krowne.com/faucetflex)



100 Haul Rd. • Wayne, NJ 07470
[krowne.com](https://www.krowne.com)