KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW48



MW48

Standard Features

- Unit can be configured to sit on either standard legs or an ultra-low profile refrigerator, providing flexibility in installation and space utilization
- Innovative modular design allows instant re-configuration of workstation for different purposes
- Integrated backsplash with Speed Swap Plumbing connections
- All 304 stainless steel construction
- High-performance speed rinser
- Optional MoveWell ultra-low profile refrigerator designed with pull out drawers for cold storage
- Added tracks to allow modular inserts to easily slide
- Centralized 1-3/8" drain to facilitate efficient water drainage from inserts

Model	Description
MW48	48" MoveWell on Legs (Modular Inserts Not Included)
MW48R	48" MoveWell & Ultra-Low Profile Refrigerator with Pull Out Drawers (Modular Inserts Not Included)


Product Compliance


- NSF-2


NSF

Specifications

Working Height	32-1/2"
Backsplash Height	8-1/2"
Material	304 stainless steel construction
Weight	65 lbs. (MW48) 250 lbs. (MW48R)







KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



UC48L

Standard Features

- 23-1/2" overall depth
- (2) Sliding drawers for easy access
- High-contrast digital display for clear and precise temperature readings
- R290 hydrocarbon refrigerant
- Automatic defrost cycle

Specifications


Electrical	NEMA 5-15P plug configuration 115V, 60Hz Fuirnished with 6'-5" plug-in cord 2 Door Unit: 6 amps, 1/4 HP
Refrigeration	R290 Hydrocarbon Refrigerant 28.5°F - 46.5°F operating range Digital thermostat on front grille
Plumbing	No drain required Condensate evaporator pan included
Insulation	2" thick HCFC free Polyurethane Insulation
Interior/Exterior	304 stainless steel construction
Drawers	304 stainless steel constructed drawers with soft stop technology
Weight	190 lbs.


Model	Description
UC48L	Ultra Low-Profile Refrigerator with 2 Drains


Product Compliance

- NSF-2

NSF







Krowne • 100 Haul Rd. Wayne, NJ 07470 • P: (800) 631-0442 • F: (973) 872-1129 • support@krowne.com • krowne.com

Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts



MW-IB12

Standard Features

- 21" overall depth
- Foamed in place insulation to keep ice from melting
- Drain to allow melted ice through
- 1" drain allows for efficent drainage of excess liquid
- Modular component for flexible configurations and cleaning
- Ice bin slide cover included


Specifications


Material	304 stainless steel construction
Weight	13.5 lbs.


Model	Description
MW-IB12	MoveWell Insulated Ice Bin

Product Compliance

- NSF-2







KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW-SJ6

Standard Features

- 21" overall depth
- High-performance speed rinser
- Ergonomic angled design
- Designed with Speed Swap plumbing connections
- Integrated perforated drainer
- Modular component for flexible configurations and cleaning
- Fully plumbed with John Guest fittings for ease of installation

Specifications


Material	304 stainless steel construction
Weight	5.5 lbs.

Model	Description
MW-SJ6	MoveWell Spray Jet Dump Sink

Product Compliance

- NSF-2

NSF



Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW-TC12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- High performance speed rinser
- (4) Wet bins designated for cleaning tools
- Side mounted dry bin for clean tools
- Designed with Speed Swap Plumbing connections
- Perforated stainless drainboard
- Modular component for flexible configurations and cleaning
- Fully plumbed with John Guest Fittings for ease of installation

Specifications


Material	304 stainless steel construction
Weight	13 lbs.


Model	Description
MW-TC12	MoveWell Tool Caddy, 12"W, Includes 10" Water Line Connetion Kit


Product Compliance

- NSF-2

NSF







Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts



MW-WD12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- Designed with Speed Swap plumbing connections
- 36" counter mounted spray head with flexible hose designed for wash down
- Removable stainless steel strainer and perforated insert
- Modular component for flexible configurations and cleaning


Specifications


Material	304 stainless steel construction
Weight	10 lbs.


Model	Description
MW-WD12	MoveWell Wash Down Dump Sink, 12"W

Product Compliance

- NSF-2







KROWNE®

Model: _____ Item #: _____ Date: _____

Project: _____ Qty: _____ Approved By: _____

MoveWell Stations & Inserts



MW-CS12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- 4" by 3" Cutout to discard of food scraps
- Removable cutting board
- Removable bin designed to hold discards and prevent drain clogs
- NSF certified material
- Modular component for flexible configurations and cleaning


Specifications


Material	304 stainless steel construction
Weight	8 lbs.

Model	Description
MW-CS12	MoveWell Cutting Board with Trash Station, 12"W

Product Compliance

- NSF-2








KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW-CB12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- Ø1" cutout for easy removal
- NSF certified material
- Modular component for flexible configurations and cleaning


Specifications

Material	304 stainless steel construction
Weight	3.5 lbs.

Model	Description
MW-CB12	MoveWell Cutting Board, 12"W

Product Compliance

- NSF-2



Krowne • 100 Haul Rd. Wayne, NJ 07470 • P: (800) 631-0442 • F: (973) 872-1129 • support@krowne.com • krowne.com

Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW-CT12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- (7) Removable stainless steel ninth size garnish pans
- Integrated cold pack bin keeps garnishes chilled
- Modular component for flexible configurations and cleaning

Specifications


Material	304 stainless steel construction
Weight	10 lbs.


Model	Description
MW-CT12	MoveWell Condiment Tray 12"W, Holds 7 Stainless Steel Condiment Clips


Product Compliance

- NSF-2

NSF







KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW-CT6

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- (6) Removable plastic pint garnish pans
- Modular component for flexible configurations and cleaning


Specifications

Material	304 stainless steel construction
Weight	2 lbs.

Model	Description
MW-CT6	MoveWell Condiment Tray 6"W, Holds 6 Plastic Condiment Clips

Product Compliance

- NSF-2



Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ Item #: _____ Date: _____

Project: _____ Qty: _____ Approved By: _____

MoveWell Stations & Inserts

MOVE WELL



MW-MR6

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- (3) Removable plastic cup rimmers
- Modular component for flexible configurations and cleaning


Specifications

Material	304 stainless steel construction
Weight	3 lbs.

Model	Description
MW-MR6	MoveWell Margarita Rimmer, Holds 3 Plastic Rimmers, 6" Wide

Product Compliance

- NSF-2



Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ Item #: _____ Date: _____

Project: _____ Qty: _____ Approved By: _____

MoveWell Stations & Inserts

MOVE WELL



MW-SR12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- Three tier design holds (12) 3" liquor bottles
- Sound deadening material under shelving to reduce clanking noise from bottles
- Ergonomic angled tiered shelves to enhance workflow
- Modular component for flexible configurations and cleaning

Specifications


Material	304 stainless steel construction
Weight	16.5 lbs.

Model	Description
MW-SR12	MoveWell Bottle 3-Tier Speed Rack, 12"W

Product Compliance

- NSF-2

NSF



Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL™



MW-DB12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- Perforated stainless cutout allows drainage into bin below
- Modular component for flexible configurations and cleaning

Specifications


Material	304 stainless steel construction
Weight	3 lbs.

Model	Description
MW-DB12	MoveWell Drainboard, 12"W

Product Compliance

- NSF-2

NSF®



KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts



MW-CF12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- Perforated stainless cutout allows drainage into bin below
- Modular component for flexible configurations and cleaning
- Integrated tamping mat and tamper holder included
- Storage area for tools
- Removable dump box for used coffee grounds


Specifications


Material	304 stainless steel construction
Weight	8.5 lbs.


Model	Description
MW-CF12	MoveWell Coffee Insert

Product Compliance

- NSF-2







Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL



MW-OS12

Standard Features

- Only Compatible with MoveWell Adaptive Station
- 21" overall depth
- Removeable trash chute for discarded oyster shells
- Modular component for flexible configurations and cleaning
- Mesh drain to catch sand and shell particles
- Developed with the expertise of World Champion Oyster Shucker Patrick McMurray

Specifications


Material	304 stainless steel construction
Weight	8.5 lbs.

Model	Description
MW-OS12	MoveWell Oyster Insert

Product Compliance

- NSF-2

NSF



Krowne • 100 Haul Rd. Wayne, NJ 07470 • P: (800) 631-0442 • F: (973) 872-1129 • support@krowne.com • krowne.com

Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®


Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____


MoveWell Stations & Inserts

MOVE WELL™


MW-CB12 - MoveWell Cutting Board, 12"W




MW-CF12 - MoveWell Coffee Insert




MW-CS12 - MoveWell Cutting Board with Trash Station




MW-CT12 - MoveWell Condiment Tray, 12"W




MW-CT6 - MoveWell Condiment Tray, 6"W




MW-DB12 - MoveWell Drainboard, 12"W




MW-IB12 - MoveWell Insulated Ice Bin



MW-MR6 - MoveWell Margarita Rimmer



MW-OS12 - MoveWell Oyster Insert



Krowne • 100 Haul Rd. Wayne, NJ 07470 • P: (800) 631-0442 • F: (973) 872-1129 • support@krowne.com • krowne.com

Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®


Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____


MoveWell Stations & Inserts

MOVE WELL


MW-SJ6 - MoveWell Spray Jet Dump Sink 6"W




MW-SR12 - MoveWell Bottle 3-Tier Speed Rack, 12"W



MW-TC12 - MoveWell Tool Caddy, 12"W



MW-WD12 - MoveWell Wash Down Dump Sink




MW-S - MoveWell Sprayer




*Used with MW-WD12
Length: 3'


MW-ELITE - Elite Bundle Kit For MoveWell



MW-ENHANCED - Enhanced Bundle Kit For MoveWell



MW-ESSENTIALS48 - Essentials Bundle Kit For MoveWell



Due to our commitment to continued product improvement, specifications are subject to change without notice.

KROWNE®

Model: _____ **Item #:** _____ **Date:** _____

Project: _____ **Qty:** _____ **Approved By:** _____

MoveWell Stations & Inserts

MOVE WELL™

MoveWell Adaptive Station, Essential
Kit Inserts Included



MW48-B



MW48R-B

MoveWell Adaptive Station, Coffee Collection
Kit Inserts Included



MW48-CF



MW48R-CF

MoveWell Adaptive Station, Margarita Collection
Kit Inserts Included



MW48-MC



MW48R-MC

MoveWell Adaptive Station, Oyster Collection
Kit Inserts Included



MW48-OC



MW48R-OC

MoveWell Adaptive Station, Specialty Cocktail Collection
Kit Inserts Included



MW48-SC



MW48R-SC

48" Ultra Low-Profile Refrigerator with 2 Drains



UC48L

Due to our commitment to continued product improvement, specifications are subject to change without notice.